


A P P E N D I X I:

CLAIM AMENDMENTS:

Amend Claims 10 and 11 as indicated in the following listing of the claims:


1. (original) A fungicidal mixture, comprising

- (1) 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-[1,2,4]-triazole-3-thione (prothioconazole) of the formula I or its salts or adducts




and at least one insecticide selected from the group consisting of

- (2) fipronil of the formula II




or

- (3) chlorpyrifos of the formula III




or

- (4) thiamethoxam of the formula IV




in a synergistically effective amount.

2. (original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and fipronil of the formula II.
3. (original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and chlorpyrifos of the formula III.
4. (original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and thiamethoxam of the formula IV.
5. (original) A fungicidal mixture as claimed in claim 1, wherein the weight ratio of prothioconazole of the formula I to
 - fipronil of the formula II is from 20 : 1 to 1 : 20,
 - chlorpyrifos of the formula III is from 20 : 1 to 1 : 20 and
 - thiamethoxam of the formula IV is from 20 : 1 to 1 : 20.
6. (original) A method for controlling harmful fungi, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them with the fungicidal mixture as claimed in claim 1.
7. (canceled)
8. (previously presented) A method as claimed in claim 6, wherein the fungicidal mixture is applied in an amount of from 0.01 to 8 kg/ha.
9. (original) A fungicidal composition, comprising the fungicidal mixture as claimed in claim 1 and a solid or liquid carrier.
10. (currently amended) A method for controlling harmful fungi, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them said fungi by applying the synergistically effective amounts of:
a compound of the formula I




and at least one insecticide selected from the group consisting of


a compound of the formula II,



a compound of the formula III



~~or~~ and a compound of the formula IV



~~as set forth in claim 1~~ simultaneously, that is together or separately, or in succession.

11. (currently amended) The method as claimed in claim 10, wherein the compound of formula I and the at least one compound of the formula II, formula III or formula IV ~~as set forth in claim 1~~, are applied in an amount of from 0.01 to 8 Kg/ha.